

ESTIMATE FOR CATTLE SHED

[illegible]

	area		2	8.07	0.6	0.3	1	2.9052		
	LW		2	2.67	0.6	0.3	1	0.9612		
	CW							3.8664	174 cum	674.49
3	Providing soiling using 80mm size trap metal in 15cm layer including filling voids with crushed sand/ grit, ramming, water ing etc complete									
	LW		2	8.07	0.6	0.15	1	1.4526		
	CW		2	2.67	0.6	0.15	1	0.4806		
	FLOORING		1	7.25	3.05	0.15	1	3.316875		
								5.250075	740.119 Cum	3885.680259
4	Providing and laying in situ, cement concrete in M-10 of trap/ granite/quartzite/gneiss metal for foundation and beding including baiding out water , formwork, compacting and curing complete, with fullyAutomatic micro processer based PLCwith SCADA enabled reversible Drum type mixer, with natural sand									
	LW		2	8.07	0.6	0.05	1	0.4842		
	CW		2	2.67	0.6	0.05	1	0.1602		
	LOORING		1	7.25	3.05	0.05	1	1.105625		
								1.750025	3414.2cum	5974.935355


[illegible]


[illegible]

veterinaty officer

TECHNICAL ASSISTANT
PANCHAYAT SAMITI BHOKARDAN

CATTLE SHED, PUCCA FLOOR, FODDER TROUGH, URINE TANK WITHOUT ROOF





- Area - 26.95 Sq.mtr.
- Length- 7.70 Mtr.
- Width- 3.75 Mtr.
- F.T. - 7.7 mX0.2m X0.65m
- U. T. - 250 lit.
- Cost - Rs.35,000/-